

Berg Balance Scale

The Berg Balance Scale (BBS) was developed to measure balance among older people with impairment in balance function by assessing the performance of functional tasks. It is a valid instrument used for evaluation of the effectiveness of interventions and for quantitative descriptions of function in clinical practice and research. The BBS has been evaluated in several reliability studies. A recent study of the BBS, which was completed in Finland, indicates that a change of eight (8) BBS points is required to reveal a genuine change in function between two assessments among older people who are dependent in ADL and living in residential care facilities.

Description:

14-item scale designed to measure balance of the older adult in a clinical setting. Equipment needed: Ruler, two standard chairs (one with arm rests, one without), footstool or step, stopwatch or wristwatch, 15 foot walkway.

Completion:

Time: 15-20 minutes

Scoring: A five-point scale, ranging from 0-4. "0" indicates the lowest level of function and "4" the highest

level of function. Total Score = 56

Interpretation; 41-56 = low fall risk, 21-40 = medium fall risk, 0-20 = high fall risk

A change of 8 points is required to reveal a genuine change in function between 2 assessments.

Name:		Date:
Location:	_Rater:	
ITEM DESCRIPTION		SCORE (0-4)
Sitting to standing		
Standing unsupported		
Sitting unsupported		
Standing to sitting		
Transfers		
Standing with eyes closed		
Standing with feet together		
Reaching forward with outstretched arm		
Retrieving object from floor		
Timing to look behind		
Turning 360 degrees		
Placing alternate foot on stool		
Standing with one foot in front		
Standing on one foot		



GENERAL INSTRUCTIONS

Please document each task and/or give instructions as written. When scoring, please lowest response category that applies for each item.

In most items, the subject is asked to maintain a given position for a specific time. Progressively more points are deducted if:

- the time or distance requirements are not met
- the subject's performance warrants supervision
- the subject touches an external support or receives assistance from the examiner

Subject should understand that they must maintain their balance while attempting the tasks. The choices of which leg to stand on or how far to reach are left to the subject. Poor judgment will adversely influence the performance and the scoring.

Equipment required for testing is a stopwatch or watch with a second hand, and a ruler or other indicator of 2, 5, and 10 inches. Chairs used during testing should be a reasonable height. Either a step or a stool of average step height may be used for item # 12.

SITTING TO STANDING INSTRUCTIONS: Please stand up. Try not to use your hand for support. () 4 able to stand without using hands and stabilize independently () 3 able to stand independently using hands () 2 able to stand using hands after several tries () 1 needs minimal aid to stand or stabilize () 0 needs moderate or maximal assist to stand STANDING UNSUPPORTED INSTRUCTIONS: Please stand for two minutes without holding on. () 4 able to stand safely for 2 minutes () 3 able to stand 2 minutes with supervision () 2 able to stand 30 seconds unsupported () 1 needs several tries to stand 30 seconds unsupported () 0 unable to stand 30 seconds unsupported

If a subject is able to stand 2 minutes unsupported, score 4 points below for sitting unsupported. Proceed to next item.

next tent.	
SITTING WITH BACK UNSUPPORTED, BUT FEET SUPPORTED ON FLOOR OR ON A	A STOOL
INSTRUCTIONS: Please sit with arms folded for 2 minutes.	
() 4 able to sit safely and securely for 2 minutes	
() 3 able to sit 2 minutes under supervision	
() 2 able to able to sit 30 seconds	
() 1 able to sit 10 seconds	
() 0 unable to sit without support 10 seconds	



Medicine
STANDING TO SITTING INSTRUCTIONS: Please sit down. () 4 sits safely with minimal use of hands () 3 controls descent by using hands () 2 uses back of legs against chair to control descent () 1 sits independently, but has uncontrolled descent () 0 needs assist to sit
TRANSFERS INSTRUCTIONS: Arrange chair(s) for pivot transfer. Ask subject to transfer one way toward a seat with armrests and one way toward a seat without armrests. You may use two chairs (one with and one without armrests) or a bed and a chair. () 4 able to transfer safely with minor use of hands () 3 able to transfer safely definite need of hands () 2 able to transfer with verbal cuing and/or supervision () 1 needs one person to assist () 0 needs two people to assist or supervise to be safe
STANDING UNSUPPORTED WITH EYES CLOSED INSTRUCTIONS: Please close your eyes and stand still for 10 seconds. () 4 able to stand 10 seconds safety () 3 able to stand 10 seconds with supervision () 2 able to stand 3 seconds () 1 unable to keep eyes closed 3 seconds, but stands safely () 0 needs help to keep from falling
STANDING UNSUPPORTED WITH FEET TOGETHER INSTRUCTIONS: Place your feet together and stand without holding on. () 4 able to place feet together independently and stand 1 minute safely () 3 able to place feet together independently and stand 1 minute with supervision () 2 able to place feet together independently but unable to hold for 30 seconds () 1 needs help to attain position, but able to stand 15 seconds feet together () 0 needs help to attain position and unable co hold for 15 seconds
REACHING FORWARD WITH OUTSTRETCHED ARM WHILE STANDING INSTRUCTIONS: Lift arm to 90 degrees. Stretch out your fingers and reach forward as far as you can. (Examiner places a ruler at the end of fingertips when arm is at 90 degrees. Fingers should not touch the ruler while reaching forward. The recorded measure is the distance forward that the fingers reach while the subject is in the most forward lean position. When possible, ask subject to use both arms when reaching to avoid rotation of the trunk.) () 4 can reach forward confidently 25 cm (10 inches) () 3 can reach forward 12 cm (5 inches) () 2 can reach forward 5 cm (2 inches) () 1 reaches forward, but needs supervision () 0 loses balance while trying/requires external support



PICK UP OBJECT FROM THE FLOOR FROM A STANDING POSITION INSTRUCTIONS: Pick up the shoe/slipper, which is in front of your feet. () 4 able to pick up slipper safely and easily () 3 able to pick up slipper but needs supervision () 2 unable to pick up but reaches 2·5 cm (l·2 inches) from slipper and keeps balance independently () 1 unable to pick up and needs supervision while crying () 0 unable to try/needs assist to keep from losing balance or falling
TURNING TO LOOK BEHIND OVER LEFT AND RIGHT SHOULDERS WHILE STANDING INSTRUCTIONS: Turn to look directly behind you over toward the left shoulder. Repeat to the right. (Examiner may pick an object to look at directly behind the subject to encourage a better twist tum.) () 4 looks behind from both sides and weight shifts well () 3 looks behind one side only other side shows less weight shift () 2 tums sideways only but maintains balance () 1 needs supervision when turning () 0 needs assist to keep from losing balance or falling
TURN 360 DEGREES INSTRUCTIONS: Tum completely around in a full circle. Pause. Then turn a full circle in the other direction () 4 able to turn 360 degrees safely in 4 seconds or less () 3 able to turn 360 degrees safely one side only 4 seconds or lt?ss () 2 able to turn 360 degrees safely but slov.iy () 1 needs dose supervision or verbal cuing () 0 needs assistance while turning
PLACE ALTERNATE FOOT ON STEP OR STOOL WHILE STANDING UNSUPPORTED INSTRUCTIONS: Place each foot alternately on the stepstool. Continue until each foot has touched the step/stool four times. () 4 able to stand independently and safely and complete 8 steps in 20 seconds () 3 able to stand independently and complete 8 steps in > 20 seconds () 2 able to complete 4 steps without aid with supervision () 1 able to complete >2 steps needs minimal assist () 0 needs assistance to keep from falling/unable to try
STANDING UNSUPPORTED ONE FOOT IN FRONT INSTRUCTIONS: (DEMONSTRATE TO SUBJECT) Place one foot directly in front of the other. If you fee that you cannot place your foot directly in front, try to step far enough ahead that the heel of your forward fo is ahead of the toes of the other foot. (To score 3 points, the length of the step should exceed the length of the other foot and the width of the stance should approximate the subject's normal stride width.) () 4 able to place foot tandem independently and hold 30 seconds () 3 able to place foot ahead independently and hold 30 seconds () 2 able to take small seep independently and hold 30 seconds () 1 needs help to step, but can hold 15 seconds () 0 loses balance while stepping or standing



S	TA	N	DING ON ONE LEG
\mathbf{I}	VS'	TR	CUCTIONS: Stand on one leg as long as you can without holding on.
()	4	able to lift leg independently and hold > 10 seconds
()	3	able to lift leg independently and hold 5-10 seconds
()	2	able to lift leg independently and hold 3 seconds
()	1	tries to lift leg unable to hold 3 seconds but remains standing independently.
()	0	unable to try of needs assist to prevent fall
()	7	ΓOTAL SCORE (Maximum= 56)